



NATURA 2000 - STANDARD DATA FORM
RELEASE Natura2000_end2024 (27/11/2025)
Rios de la margen izquierda del Tajo y berrocales
del Tajo (ES4250013 - SPA/SCI)

Table of contents

1. [Site Identification](#) 2. [Site Location](#) 3. [Ecological Information](#) 4. [Site Description](#)
5. [Site Protection Status](#) 6. [Site Management](#) 7. [Map of the Site](#)

1. Site Identification

1.1 Type

C

1.2 Site Code

ES4250013

1.3 Site Name

Rios de la margen izquierda del Tajo y berrocales del Tajo

1.4 First Compilation date

2000-12

1.5 Update date

2024-09

1.6 Respondent

Name/Organisation: Consejería de Desarrollo Sostenible. D.G. de Medio Natural y Biodiversidad. Junta de Comunidades de Castilla- La Mancha

Address: No information provided

Email: rednaturaclm@jccm.es

1.7 Site indication and designation / classification dates

Date site classified as SPA: 2005-07

National legal reference of SPA designation: Decreto 82/2005, de 12-07-2005, por el que se designan 36 zonas de especial protección para las aves, y se declaran zonas sensibles

Date site proposed as SCI: 2000-12

Date site confirmed as SCI: 2006-07

Date site designated as SAC: 2016-12

National legal reference of SAC designation: Decreto 83/2016, de 27/12/2016, por el que se declaran como Zonas Especiales de Conservación (ZEC) de la Red Natura 2000 en Castilla-La Mancha, 9 Lugares de Importancia Comunitaria (LIC), se propone a la Comisión Europea la modificación de los límites de 3 de estos espacios y se modifican los límites de 8 Zonas de Especial Protección para las Aves (ZEPA). [2016/14204]

Explanations: Plan de gestión para el espacio Red Natura aprobado mediante la Orden de 27/12/2016, de la Consejería de Agricultura, Medio Ambiente y Desarrollo Rural, por la que se aprueban los Planes de Gestión de 9 espacios de la Red Natura 2000 en Castilla-La Mancha. [2016/14247]

2. Site Location

2.1 Site-centre location [decimal degrees]

Longitude: -5.0534

Latitude: 39.7336

2.2 Area [ha]

13714.62

2.3 Marine area [%]

No information provided

2.4 Sitelength [km] (optional)

No information provided

2.5 Administrative region code and name

NUTS Level 2 Code

Region Name

NUTS Level 2 Code	Region Name
ES42	Castilla-La Mancha

2.6 Biogeographical Region(s)

Name	Cover [%]
Mediterranean	100

3. Ecological Information

3.1 Habitat types present on the site and assessment for them

Annex I Habitat Types							Site Assessment			
Code	Name	PF	NP	Cover [ha]	Caves [number]	Data Quality	Representativity	Relative Surface	Conservation	Global
3150	Natural eutrophic lakes with Magnopotamion or Hydrocharition - type vegetation			0.1		M	D			
3170	Mediterranean temporary ponds			5.2		M	B	C	C	C
3250	Constantly flowing Mediterranean rivers with Glaucium flavum			4		M	C	C	C	C
3260	Water courses of plain to montane levels with the Ranunculion fluitantis and Callitricho-Batrachion vegetation			1		M	C	C	B	C
3290	Intermittently flowing Mediterranean rivers of the Paspalo-Agrostidion			1.2		M	C	C	C	C
4020	Temperate Atlantic wet heaths with Erica ciliaris and Erica tetralix			0.02		M	D			
4030	European dry heaths			8.6		M	B	C	C	B
5210	Arborescent matorral with Juniperus spp.			20.4		M	B	C	B	B
5330	Thermo-Mediterranean and pre-desert			2430.4		M	B	C	B	B

Annex I Habitat Types					Site Assessment					
Code	Name	PF	NP	Cover [ha]	Caves [number]	Data Quality	Representativity	Relative Surface	Conservation	Global
	scrub									
6220	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea			513.7		M	B	C	B	B
6310	Dehesas with evergreen Quercus spp.			2072		M	B	C	B	B
6420	Mediterranean tall humid grasslands of the Molinio-Holoschoenion			59.9		M	B	C	A	B
6430	Hydrophilous tall herb fringe communities of plains and of the montane to alpine levels			6.5		M	C	C	B	C
8130	Western Mediterranean and thermophilous scree			2.5		M	B	C	B	B
8220	Siliceous rocky slopes with chasmophytic vegetation			277.2		M	A	C	B	B
8230	Siliceous rock with pioneer vegetation of the Sedo-Scleranthion or of the Sedo albi-Veronicion dillenii			148.4		M	B	C	B	B
91B0	Thermophilous Fraxinus angustifolia woods			144.7		M	B	C	B	B
91E0	Alluvial forests with Alnus glutinosa and Fraxinus excelsior (Alno-Padion, Alnion incanae, Salicion albae)			6.2		M	B	C	B	C
9230	Galicio-Portuguese oak woods with Quercus robur and Quercus pyrenaica			8.5		M	A	C	C	B
92A0	Salix alba and			92.9		M	B	C	B	B

Annex I Habitat Types						Site Assessment				
Code	Name	PF	NP	Cover [ha]	Caves [number]	Data Quality	Representativity	Relative Surface	Conservation	Global
	Populus alba galleries									
92D0	Southern riparian galleries and thickets (Nerio-Tamaricetea and Securinegion tinctoriae)			47.9		M	B	C	B	B
9320	Olea and Ceratonia forests			472.7		M	B	C	B	B
9330	Quercus suber forests			0.2		M	B	C	B	B
9340	Quercus ilex and Quercus rotundifolia forests			2705.3		M	B	C	B	B

PF: Habitat types 6210, 7130, 9430 priority depend on the habitat characteristics. Letter 'X' indicates that the reported habitat characteristics corresponds to its priority form.

NP: In case that a habitat type no longer exists in the site enter: x (optional)

Cover: Decimal values can be entered

Caves: For habitat types 8310 and 8330 (caves), the number of caves when the estimated surface is not available.

Data Quality: G = Good (e.g. based on surveys), M = Moderate (e.g. based on partial data with some extrapolation), P = Poor (e.g. rough estimation)

Representativity: A = excellent representativity, B = good representativity, C = significant representativity, D = non-significant presence

Relative Surface: A ≥ 15%, B = 2-15%, C ≤ 2%

Conservation: A = excellent conservation, B = good conservation, C = average or reduced conservation

Global: A = excellent value, B = good value, C = significant value

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species			Population in the site							Site Assessment				
Group	Code	Scientific Name	S	NP	Type	Size Min	Size Max	Unit	Abundance	Data Quality	Population	Conservation	Isolation	Global
A	1194	Discoglossus galganoi			p				P	DD	C	B	C	B
B	A619	Accipiter gentilis gentilis			r				P	DD	C	B	C	B
B	A079	Aegypius monachus			p				P	DD	C	A	B	A
B	A229	Alcedo atthis			p				P	DD	C	B	C	B
B	A259	Anthus spinoletta			w				P	DD	C	B	C	B
B	A405	Aquila adalberti			p	2	2	p		P	C	A	C	B
B	A091	Aquila chrysaetos			p	4	4	p		P	C	A	B	A
B	A707	Aquila fasciata			p	4	4	p		P	C	B	B	B
B	A215	Bubo bubo			p				P	DD	C	B	C	B
B	A025	Bubulcus ibis			w	11	50	i		P	C	B	C	B
B	A335	Certhia brachydactyla			r				P	DD	C	B	C	B

Species			Population in the site							Site Assessment					
Group	Code	Scientific Name	S	NP	Type	Size Min	Size Max	Unit	Abundance	Data Quality	Population	Conservation	Isolation	Global	
B	A031	Ciconia ciconia			p				P	DD	C	B	C	B	
B	A030	Ciconia nigra			r	6	6	p		P	C	B	C	B	
B	A264	Cinclus cinclus			r				V	DD	C	B	B	B	
B	A080	Circetus gallicus			r				P	DD	C	B	C	B	
B	A081	Circus aeruginosus			p				P	DD	C	B	C	B	
B	A231	Coracias garrulus			r				P	DD	C	B	C	B	
B	A399	Elanus caeruleus			r				P	DD	C	B	B	B	
B	A098	Falco columbarius			r				P	DD	C	B	C	B	
B	A099	Falco subbuteo			r				V	DD	D				
B	A096	Falco tinnunculus			r				V	DD	C	B	C	B	
B	A359	Fringilla coelebs			r				P	DD	C	B	C	B	
B	A244	Galerida cristata			r				P	DD	C	B	C	B	
B	A078	Gyps fulvus			r	9	9	p		P	C	B	B	B	
B	A092	Hieraetus pennatus			r				P	DD	C	B	C	B	
B	A131	Himantopus himantopus			p				P	DD	C	B	C	B	
B	A233	Jynx torquilla			r				V	DD	D				
B	A496	Lanius meridionalis			r				P	DD	C	B	C	B	
B	A242	Melanocorypha calandra			p				P	DD	C	B	C	B	
B	A073	Milvus migrans			r				P	DD	C	B	C	B	
B	A074	Milvus milvus			p				P	DD	C	B	C	B	
B	A260	Motacilla flava			r				P	DD	C	B	C	B	
B	A319	Muscicapa striata			r				V	DD	D				
B	A023	Nycticorax nycticorax			c	11	50	i		P	C	B	C	B	
B	A278	Oenanthe hispanica			r				P	DD	C	B	C	B	
B	A279	Oenanthe leucura			p				R	DD	C	B	C	B	
B	A277	Oenanthe oenanthe			r				V	DD	D				
B	A214	Otus scops			r				P	DD	C	B	C	B	
B	A072	Pernis apivorus			r				V	DD	C	B	B	B	
B	A274	Phoenicurus phoenicurus			r				V	DD	D				
B	A140	Pluvialis apricaria			w				P	DD	C	B	C	B	
B	A267	Prunella collaris			c				P	DD	D				
B	A336	Remiz pendulinus			r				P	DD	C	B	C	B	
B	A249	Riparia riparia			r				P	DD	C	B	C	B	

Species			Population in the site							Site Assessment					
Group	Code	Scientific Name	S	NP	Type	Size Min	Size Max	Unit	Abundance	Data Quality	Population	Conservation	Isolation	Global	
B	A210	Streptopelia turtur			r	1572	4716	p		P	C	C	C	C	C
B	A304	Sylvia cantillans			r				P	DD	C	B	C	B	B
B	A303	Sylvia conspicillata			r				P	DD	C	B	C	B	B
B	A302	Sylvia undata			p				P	DD	C	B	C	B	B
B	A265	Troglodytes troglodytes			r				P	DD	C	B	C	B	B
B	A232	Upupa epops			r				P	DD	C	B	C	B	B
F	5302	Cobitis paludica			p	28	179	grids1x1	P	P	B	B	C	B	B
F	5926	Iberochoondrostoma lemmingii			p	26	103	grids1x1	P	P	C	B	C	B	B
F	6168	Luciobarbus comizo		x	p					P					
F	6149	Pseudochondrostoma polylepis			p	29	87	grids1x1	P	P	C	B	C	B	B
F	6975	Squalius alburnoides			p	60	152	grids1x1	P	P	C	B	C	B	B
I	1088	Cerambyx cerdo			p				P	DD	C	B	C	B	B
M	1355	Lutra lutra			p				P	DD	C	B	C	B	B
P	1860	Narcissus fernandesii			p				P	DD	A	B	C	B	B
R	1220	Emys orbicularis			p				P	DD	C	B	C	B	B
R	1221	Mauremys leprosa			p				P	DD	C	B	C	B	B

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
S: In case that the data on species are sensitive and therefore have to be blocked for any public access enter: Yes
NP: In case that a species is no longer present in the site enter: x (optional)
Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting ([see reference portal](#))
Abundance: C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
Data Quality: G = Good (e.g. based on surveys), M = Moderate (e.g. based on partial data with some extrapolation), P = Poor (e.g. rough estimation), DD = Data deficient (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field 'Abundance' has to be filled in)
Population: A = >15%, B = 2-15%, C = <2%, D = non-significant population
Conservation: A = excellent conservation, B = good conservation, C = average or reduced conservation
Isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated withing extended distribution range
Global: A = excellent value, B = good value, C = significant value

3.3 Other important species of flora and fauna (optional)

Species			Population in the site							Motivation					
Group	Code	Scientific Name	S	NP	Size Min	Size Max	Unit	Abundance		Species Annex IV	Species Annex V	Other Cat. A	Other Cat. B	Other Cat. C	Other Cat. D
A	1192	Alytes cisternasii						P		x			x	x	x
A		Bufo spinosus						P						x	x
A	6284	Epidalea calamita						P		x				x	x
A	1205	Hyla meridionalis						P		x			x	x	x

Species			Population in the site						Motivation					
Group	Code	Scientific Name	S	NP	Size Min	Size Max	Unit	Abundance	Species Annex IV	Species Annex V	Other Cat. A	Other Cat. B	Other Cat. C	Other Cat. D
A	6929	Hyla molleri						P	x			x	x	x
A	5701	Lissotriton boscai						P				x	x	x
A	1198	Pelobates cultripes						P	x				x	x
A		Pelodytes ibericus						P			x	x	x	x
A	6945	Pelophylax perezi						P		x			x	
A	2349	Pleurodeles waltl						P				x	x	x
A	2351	Salamandra salamandra						P			x		x	x
A	5896	Triturus pygmaeus						P	x		x	x	x	x
B	A086	Accipiter nisus						P					x	x
B	A324	Aegithalos caudatus						P						x
B	A247	Alauda arvensis						P			x			x
B	A257	Anthus pratensis						P					x	x
B	A256	Anthus trivialis						P					x	x
B	A221	Asio otus						P					x	x
B	A479	Cecropis daurica						P						x
B	A288	Cettia cetti						P						x
B	A289	Cisticola juncidis						P						x
B	A373	Coccothraustes coccothraustes						P					x	x
B	A350	Corvus corax						P						x
B	A349	Corvus corone						P					x	
B	A348	Corvus frugilegus						P			x		x	
B	A347	Corvus monedula						P			x		x	
B	A483	Cyanistes caeruleus						P					x	x
B	A481	Cyanopica cooki						P				x	x	x
B	A738	Delichon urbicum						P						x
B	A237	Dendrocopos major						P					x	x
B	A383	Emberiza calandra						P						x
B	A378	Emberiza cia						P					x	x
B	A377	Emberiza cirius						P						x

Species			Population in the site						Motivation					
Group	Code	Scientific Name	S	NP	Size Min	Size Max	Unit	Abundance	Species Annex IV	Species Annex V	Other Cat. A	Other Cat. B	Other Cat. C	Other Cat. D
B	A269	Erithacus rubecula						P					x	x
B	A322	Ficedula hypoleuca						P						x
B	A342	Garrulus glandarius						P					x	x
B	A300	Hippolais polyglotta						P						x
B	A251	Hirundo rustica						P			x			x
B	A341	Lanius senator						P			x		x	x
B	A497	Lophophanes cristatus						P					x	x
B	A262	Motacilla alba						P					x	x
B	A261	Motacilla cinerea						P					x	x
B	A337	Oriolus oriolus						P					x	x
B	A330	Parus major						P					x	x
B	A355	Passer hispaniolensis						P						x
B	A357	Petronia petronia						P					x	x
B	A273	Phoenicurus ochruros						P					x	x
B	A499	Phylloscopus bonelli						P						x
B	A572	Phylloscopus collybita						P						x
B	A316	Phylloscopus trochilus						P			x			x
B	A867	Picus sharpei						P					x	x
B	A266	Prunella modularis						P					x	x
B	A250	Ptyonoprogne rupestris						P						x
B	A372	Pyrrhula pyrrhula						P						x
B	A318	Regulus ignicapilla						P						x
B	A332	Sitta europaea						P					x	x
B	A478	Spinus spinus						P						x
B	A219	Strix aluco						P					x	x
B	A351	Sturnus vulgaris						P					x	
B	A311	Sylvia atricapilla						P					x	x

Species			Population in the site						Motivation					
Group	Code	Scientific Name	S	NP	Size Min	Size Max	Unit	Abundance	Species Annex IV	Species Annex V	Other Cat. A	Other Cat. B	Other Cat. C	Other Cat. D
B	A310	Sylvia borin						P					x	x
B	A309	Sylvia communis						P					x	x
B	A570	Sylvia hortensis						P					x	x
B	A305	Sylvia melanocephala						P					x	x
B	A228	Tachymarptis melba						P					x	x
B	A286	Turdus iliacus						P			x			
B	A283	Turdus merula						P						x
B	A285	Turdus philomelos						P						x
B	A287	Turdus viscivorus						P						x
M	2592	Crocidura russula						P					x	x
M	2590	Erinaceus europaeus						P						x
M	1363	Felis silvestris						P	x				x	x
M	1360	Genetta genetta						P		x			x	x
M	1359	Herpestes ichneumon						P		x				x
M	2630	Martes foina						P					x	x
M	2631	Meles meles						P					x	x
M	2634	Mustela nivalis						P					x	x
M	1358	Mustela putorius						P		x			x	x
M	2603	Suncus etruscus						P					x	x
M	5879	Talpa occidentalis						P				x		x
P		Acer monspessulanum						P						x
P		Alnus glutinosa						P						x
P		Colutea hispanica						P				x		x
P		Corylus avellana						P						x
P		Ephedra distachya						P						x
P		Erica lusitanica						P						x
P	1996	Narcissus triandrus						P	x				x	
P		Osmunda regalis						P						x
P	1849	Ruscus aculeatus						P		x				

Species			Population in the site						Motivation					
Group	Code	Scientific Name	S	NP	Size Min	Size Max	Unit	Abundance	Species Annex IV	Species Annex V	Other Cat. A	Other Cat. B	Other Cat. C	Other Cat. D
P	1900	Spiranthes aestivalis						P	x				x	x
R	2436	Acanthodactylus erythrurus						P					x	x
R	2442	Blanus cinereus						P					x	x
R	1272	Chalcides bedriagai						P	x			x	x	x
R	5595	Chalcides striatus						P				x	x	x
R	1283	Coronella austriaca						P	x				x	x
R	2452	Coronella girondica						P					x	x
R	5668	Hemorrhois hippocrepis						P	x				x	x
R	5709	Macroprotodon brevis						P					x	x
R	2466	Malpolon monspessulanus						P					x	x
R		Natrix astreptophora						P					x	x
R	2467	Natrix maura						P					x	x
R		Podarcis virescens						P				x	x	x
R	2430	Psammodromus algirus						P					x	x
R	2386	Tarentola mauritanica						P					x	x
R	5883	Timon lepidus						P					x	x
R	5904	Vipera latastei						P					x	
R		Zamenis scalaris						P				x	x	x

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

Code: For Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: In case that the data on species are sensitive and therefore have to be blocked for any public access enter: Yes

NP: In case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting ([see reference portal](#))

Abundance: C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Motivation: Species Annex IV and Species Annex V: the species is listed under Annex IV or Annex V of the Habitats Directive. A = Species listed in the National Red List, B = Endemic species, C = Species listed under an Internation convention, D = Other reasons

4. Site Description

4.1 General site character

Code	Habitat Class	Cover
------	---------------	-------

[%]		
N23	Other land (including Towns, Villages, Roads, Waste places, Mines, Industrial sites)	1.06
N10	Humid grassland, Mesophile grassland	1.09
N21	Non-forest areas cultivated with woody plants (including Orchards, groves, Vineyards, Dehesas)	2.63
N06	Inland water bodies (Standing water, Running water)	4.2
N25	Grassland and scrub habitats (general)	9.6
N12	Extensive cereal cultures (including Rotation cultures with regular fallowing)	16.4
N26	Woodland habitats (general)	20.66
N08	Heath, Scrub, Maquis and Garrigue, Phygrana	44.36
Total Habitat Cover		100

Other Site Characteristics

Conjunto de ríos afluentes del río Tajo que tienen su nacimiento en el sector occidental de los Montes de Toledo y discurren, en su tramo medio, por las superficies de rañas de la comarca de La Jara, hasta su desembocadura en el río Tajo. Se incluyen el río Uso y su afluente el río Frío, desde su nacimiento en la Sierra de Sevilleja hasta su desembocadura en el Embalse de Azután, la cabecera del río Gévalo y un tramo de su curso medio aguas abajo de la presa del Gévalo, la totalidad del curso del río Cedená y un tramo de la cabecera del río Torcón, situado entre las presas de La Yedra I y La Yedra II, así como los ríos Sangrera, Fresnedoso y Pusa. Se incluye asimismo la zona del berrocal de Aldeanueva de Barbarroja, localizado en el tramo bajo del río Uso, en ambas márgenes de este río, y el límite meridional del embalse de Azután, el berrocal de Valdeverdeja, el de Villarejo de Montalbán y el de San Martín de Montalbán.

4.2 Quality and importance

Cursos fluviales, afluentes del río Tajo por su margen izquierda, que tienen su nacimiento en los Montes de Toledo y discurren por la superficie de "rañas" de la comarca de La Jara, excavando profundos surcos y originando pequeños cañones sobre sustratos de granito, que constituyen un hábitat idóneo para la nidificación de aves rupícolas, como el águila perdicera o la cigüeña negra. En cuanto a la ictiofauna, destacan las poblaciones de pardilla, boga y calandino, presentes en la mayoría de los tramos de estos cursos fluviales, aunque la tendencia de sus poblaciones es regresiva en su área de distribución. Otras especies de fauna de interés son la nutria y el galápago leproso. Con respecto a la vegetación, destacan las formaciones ripícolas arbóreas y arbustivas, con formaciones bien conservadas de fresnedas en sus tramos altos y alamedas, saucedas, tamujares y juncales en los tramos medio y bajo, así como la vegetación de matorral de enebro, retamar y encinar en las laderas vertientes a los ríos, y la vegetación casmofítica de tipo silicícola, asociada a los berrocales graníticos. A este respecto, destaca el berrocal de Aldeanueva de Barbarroja, de gran extensión y uno de los que presenta un mejor grado de conservación en Castilla-La Mancha, con vegetación casmofítica de gran valor.

4.3 Threats, pressures and activities with impacts on the site

Negative Impacts				Positive Impacts	
Rank	Threats	Pollution	Occurrence	No data	

	and pressures [code]	(optional) [code]	[i o b]
H	I01		i
H	J02.03.02		i
H	J02.05.04		b
H	J02.06.01		i
H	J02.06.02		i
L	A04.02.02		i
L	A05.01		i
L	C01		b
M	D02.01		b
M	E01.03		b
M	F03.01		b
M	F03.01.01		i
M	F03.02		i
M	F03.02.03		b
M	F03.02.04		b
M	G01		i
M	G01.02		i
M	G01.03		i
M	G01.03.01		i

M	G01.03.02	i
M	H01.04	b
M	H01.05	b
M	H01.08	b
M	J01.01	i
M	M01.02	b

Rank: H = high, M = medium, L = low
Pollution: N = Nitrogen input, P = Phosphore/Phosphate input, A = Acid input/acidification, T = Toxic inorganic chemicals, O = Toxic organic chemicals, X = Mixed pollutions
Occurrence: i = inside, o = outside, b = both

4.4 Ownership (optional)

Type	[%]
Public - National/Federal	0
Public - State/Province	0
Public - Local/Municipal	0
Public - Any Public	5.75
Joint or Co-Ownership	0
Private	94.25
Unknown	0
Total	100

4.5 Documentation (optional)

Documents: No information provided

Links: <http://www.castillalamancha.es/gobierno/agricultura/estructura/dgamen/rednatura2000/liczepaES4250013>

5. Site Protection Status

5.1 Designation types at national and regional level (optional)

Code	Cover [%]
ES99	100

5.2 Relation of the described site with other sites (optional)

Designation Level	Type Code	Site Name	Type	Cover [%]
National or regional	ES99	Área crítica águila azor-perdicera	-	100
National or regional	ES99	Área crítica águila imperial ibérica	*	0.02
National or regional	ES98	Embalse de Azután	*	1.17
National or regional	ES99	Área crítica cigüeña negra	*	12.83

5.3 Site designation (optional)

Los ríos Huso y Frío, así como el tramo del río Tajo en Torrico y Valdeverdeja, incluidos en este espacio, tienen la consideración de área crítica para la cigüeña negra, según lo establecido en su plan de recuperación, aprobado por Decreto 275/2003, de 9 de septiembre. Los terrenos en torno a los ríos Cedená y Torcón incluidos en este espacio, tienen la consideración de zona de importancia para el águila imperial, según lo establecido en su plan de recuperación, aprobado por Decreto 275/2003, de 9 de septiembre.

6. Site Management

6.1 Body(ies) responsible for the site management

Organisation: Consejería de Desarrollo Sostenible. D.G. de Medio Natural y Biodiversidad. Junta de Comunidades de Castilla- La Mancha

Address: No information provided

Email: rednaturaclm@jccm.es

6.2 Management Plan(s)

☒ Yes

Name: Plan de gestión para el espacio de la Red Natura "Ríos de la margen izquierda del Tajo y berrocales del Tajo", ES4250013

Link: <http://www.castillalamancha.es/node/199658>

☐ No, but in preparation

☐ No

6.3 Conservation measures (optional)

- Planes de conservación/recuperación: a) Decreto 275/2003, de 09-09-2003, por el que se aprueban los planes de recuperación del águila imperial ibérica (aquila adalberti), de la cigüeña negra (ciconia nigra) y el plan de conservación del buitre negro (aegyptius monachus), y se declaran zonas sensibles las áreas críticas para la supervivencia de estas especies en Castilla-La Mancha. En esta zona se realizan la actuaciones contempladas en diversos programas de conservación de especies amenazadas desarrollados por la Consejería de Medio Ambiente, como el del Águila perdicera o la Cigüeña negra, entre otros.

7. Map of the Site

7.1 INSPIRE ID

No information provided

7.2 Map delivered as PDF in electronic format (optional)

No



